

AMENDMENTRECEIVED
CENTRAL FAX CENTER

NOV 30 2004

In the drawings:


Please delete Figure 10.

Please delete Figure 11.

REMARKS

This Response is made in response to the Notice Of Drawing Inconsistency With Specification dated November 3, 2004. Therein, it was stated that Figures 9 and 10 are contained in the drawings but not listed in the brief description of the drawings in the specification. Applicants draw attention to page 6 in the present application, which does describe a Figure 9. However, a brief description of Figures 10 and 11 are not provided. Further, although Figures 10 and 11 were filed in the present application, the detailed description of the preferred embodiment provides a description of Figures 1-9, but does not describe Figures 10 and 11. Applicants have deleted Figures 10 and 11 in the present application, as applicant believes that Figures 10 and 11 were inadvertently filed with this application. Accordingly, applicant believes that the deletion of Figures 10 and 11 fully responds to and overcomes the inconsistency identified in the Notice Of Inconsistency With The Specification dated November 3, 2004.

Respectfully submitted,



Craig J. Yudell
Reg. No. 39,083
DILLON & YUDELL LLP
8911 N. Capital of Texas Highway
Suite 2110
Austin, Texas 78759
512.343.6116

ATTORNEY FOR APPLICANTS